

# MILLIKEN®

a **MUELLER** brand

## CHECK VALVE SELECTION CHART

APPLICATIONS	TILTING DISC	TD W/ UPPER DASHPOT	SWING L&W	SWING L&S	SWING OIL DASHPOT	RD SERIES	WAFER SILENT	GLOBE SILENT	DOUBLE DOOR
<b>Potable Water Pumping Stations</b>	G	G	X	F <sup>7</sup>	G	X	F <sup>2</sup>	F <sup>2</sup>	F <sup>2</sup>
<b>Raw Water Pumping Stations</b>	G	G	G	G	G	G	F <sup>2</sup>	F <sup>2</sup>	F <sup>2</sup>
<b>Potable Water Transmission Lines</b>	F	X <sup>4</sup>	G	G	G	G	G	G	G
<b>Raw Water Transmission Lines</b>	G	X <sup>4</sup>	G	G	G	G	G	G	G
<b>Treated Wastewater Lines</b>	F <sup>4</sup>	F <sup>4</sup>	G	G	G	G	F <sup>2</sup>	G	G
<b>Raw Sewage Pump Stations and Lines</b>	X <sup>3</sup>	X <sup>3</sup>	G	G	G	G	X <sup>3</sup>	X <sup>3</sup>	X <sup>3</sup>
<b>Air Service</b>	X <sup>4</sup>	X <sup>4</sup>	F <sup>1</sup>	X	X <sup>4</sup>	X	G	G	G
<b>Abrasive Service</b>	X	X	F	F	X	G	X	X	X
<b>Buried Service</b>	G <sup>1</sup>	X <sup>6</sup>	X <sup>6</sup>	X <sup>6</sup>	X <sup>6</sup>	G	F <sup>1</sup>	F <sup>1</sup>	F <sup>1</sup>
<b>Sea Water RO Systems</b>	G <sup>1</sup>	G <sup>1</sup>	G <sup>1</sup>	G <sup>1</sup>	G <sup>1</sup>	G <sup>1</sup>	F <sup>1,2</sup>	F <sup>1,2</sup>	F <sup>1,2</sup>

Legend: **G** = Good; **F** = Fair; **P** = Poor; **X** = Do Not Use

Abbreviations: **TD** = Tilting Disc; **L&W** = Lever & Weight; **L&S** = Lever & Spring

<sup>1</sup> Consult Product Manager on application or material selection

<sup>2</sup> High flow velocities may result in high head losses across this valve

<sup>3</sup> Valve is susceptible to fouling

<sup>4</sup> Not enough pressure differential to operate valve

<sup>5</sup> Valve could be subject to rapid erosion – Contact Product Manager on application

<sup>6</sup> Exposed mechanical accessories

<sup>7</sup> Valve could be susceptible to slamming

This Check Valve Selection Chart should not be relied upon to select a valve exclusively. Please consult with an appropriate engineer. While information contained in this Check Valve Selection Chart is accurate to the best of our knowledge, it does not consider the specific use, location, elevation, pressure, turbidity, salinity, temperature, or other factors that may be relevant in your selection of a specific valve. WE DO NOT WARRANTY OUR VALVE AS FIT FOR YOUR PARTICULAR PURPOSE.

**For more information about Milliken or to view our full line of water products, please visit [www.millikenvalve.com](http://www.millikenvalve.com) or call Milliken customer service at 1.800.423.1323.**

Mueller refers to one or more of Mueller Water Products, Inc., a Delaware corporation ("MWP"), and its subsidiaries. MWP and each of subsidiaries are legally separate and independent entities when providing products and services. MWP does not provide products or services to third parties. MWP and each of its subsidiaries are liable only for their own acts and omissions and not those of each other. MWP brands include Mueller®, Echologics®, Hydro Gate®, Hydro-Guard®, Jones®, Mi.Net®, Milliken®, Pratt®, Singer®, and U.S. Pipe Valve & Hydrant. Please see [www.muellerwp.com/about](http://www.muellerwp.com/about) to learn more.

Copyright © 2019 Henry Pratt Company, LLC. All Rights Reserved. The trademarks, logos and service marks displayed in this document are the property of Mueller Water Products, Inc., its affiliates or other third parties. Products marked with a section symbol (§) are subject to patents or patent applications. For details, visit [www.mwppat.com](http://www.mwppat.com). These products are intended for use in potable water applications. Please contact your Mueller Sales or Customer Service Representative concerning any other application(§).

F 13825 1/19

**MUELLER**